Emergency Phone: 352-567-7973

CHEMTREC: 1-800-424-9300



X-treme Counter-Top Modifier Material Safety Data Sheet

Section 1: Product & Company Information

Product Name: X-treme Counter-top Modifier Manufacturer: SureCrete Design Products

Address: SureCrete Design Products

15246 Citrus Country Drive

Dade City, FL 33523

Service Used: Cementitious admixture **Application:** Counter top modifier

Section 2: Ingredient Information

Water; CAS# 7732-18-5; 40 - 60% by weight

Hexylene Glycol; CAS# -107-41-5; < 2% by weight; LD50 (Oral Rat) 3.700 mg/kg; LD50 (Skin Rabbit) 8.560 mg/kg

Dipropyleneclycul, CAS# 25265-718; 2 – 5% by weight

Liqunsulfonate, CAS# 806-1-516 2 - 6% by weight

Proprietary Ingredients; 35 – 55% by weight; no health hazard

Section 3: Physical/ Chemical Characteristics		
Boiling Point: 214°F	Specific Gravity (H2O = 1): 1.24	
pH: 4.5 – 5.5	Melting Point: N/A	
Vapor Density (Air = 1): water	Solubility In Water: miscible	
Vapor Pressure: water	Appearance and Odor: light green to blue liquid w/ slight vinegar odor	

Section 4: Fire and Explosion Hazard Data			
Flash Point: 214°F	Flammable Limits: N/A	LEL: N/A	UEL: N/A
Extinguishing Media: water, dry chemical, carbon dioxide or alcohol foam. This product is an aqueous solution and is unlikely to burn until all water has evaporated			
Special Fire Fighting Procedures: Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).			
Unusual Fire and Explosion Hazard: This product is not expected to ignite under normal conditions of use			

Section 5: Reactivity Data		
Stability: Stable	Conditions To Avoid: None Known	
Incompatibility (Materials to Avoid): None known		
Hazardous Decomposition or Byproducts: Carbon monoxide and carbon dioxide can form smoke, fumes.		

Hazardous Polymerization: Will not occur	Conditions To Avoid: None Known

Section 6: Health Hazard Data			
Route(s) of Entry:	Inhalation	Skin and Eye Contact	Ingestion
Health Hazards Acute Inhalation: Vapor not expected to be a problem. However, product applications which generate spray mists may cause respiratory irritation or discomfort resulting in coughing, chest tightness and breathing difficulties due to the presence of Hexylene Glycol. Skin and Eye Contact: Direct contact with eyes may cause irritation resulting in tearing, stinging and redness. Prolonged or repeated skin contact may cause irritation. Ingestion: May be irritating. Hexylene glycol may cause central nervous system depression. Solution is bitter to the taste, likelihood of passing the lips and swallowing is very remote. Chronic Fillers are encapsulated and not expected to be released from product under normal conditions of use.			
Carcinogenicity:	NTP - No	IARC Monographs - No	OSHA Regulated - No
Signs and Symptoms of Exposure: May cause irritation upon contact or inhalation of mists or irritation to the eyes. Ingestion may cause central nervous system depression. Medical Conditions Generally Aggravated by Exposure: Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.			

aggravated by exposure.				
Emergency and First Aid Procedures				
Inhalation: Move to fresh	Skin Contact: Wash	Eye Contact: Rinse with	Ingestion: Do not induce	
air to avoid nuisance	affected area thoroughly	running water, hold eyelids	vomiting. Drink copious	
symptoms. If irritation	with soap and water. If	apart while irrigating for 15	quantities of water to dilute	
persists, consult physician	irritation persists, consult	mins. If irritation persists,	material in stomach.	
	physician	consult physician	Consult physician	

Section 7: Precautions for Safe Handling and Use

Steps to Be Taken if Material is Released or Spilled: Prevent product from entering drinking water supplies or streams. Collect liquid or absorb liquid with an inert material and remove for disposal.

Waste Disposal Method: Dispose of in an approved chemical waste landfill or incinerate in accordance with applicable federal, state, and local regulations.

Precautions to Be Taken in Handling and Storage: Normal precautions according to good housekeeping practices should be followed.

Other Precautions: Avoid breathing spray mists. Avoid contact with eyes & prolonged or repeated contact with skin. Wash thoroughly after handling. Keep containers closed when not in use. FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH

Section 8: Control Measures			
Respiratory Protection: Respiratory protection is not generally required. However, if specific use generates vapors or mists, a NIOSH-approved organic vapor respirator			
Ventilation			
Local Exhaust: required only if general is inadequate	Mechanical (General): Adequate under anticipated use	Special: None known	Other: None
	r or synthetic gloves should ed or repeated skin contact.	Eye Protection: Goggles applications and when dir	s should be used in spray ect contact due to splashing is

possible.
Other Protective Clothing or Equipment: As appropriate to prevent contact with the body. Launder contaminated
clothing before reuse.
Section 8: Control Measures (Continued)

Work / Hygienic Practices: Normal good housekeeping practice

Section 9: Transportation / Shipping / Regulatory			
Hazard Class: None Hazardous			
Surface Freight Classification: Synthetic Latex, liquid Rubber	Regulatory VOC (less water and exempt solvent) = 0g/L		
HMIS RATING: Health:1 Flammability:1 Reactivity: 0			